



ZETA 80  
EVO

FAMM

LOOK AND TECHNOLOGY






ZETA 80  
EVO


vetro 3/3.BE-14-4-14-3/3BE.1  
gas argon Ug=0.6 W/m<sup>2</sup> K  
glass 3/3 Low-E-14-4-14-3/3  
Low-E.1 Gas Argon  
Ug= 0,6 W/m<sup>2</sup>k

Uw=0.95 W/m<sup>2</sup> K




Uf=1.2 W/m<sup>2</sup> K


Valore rilevato mediante calcolo su finestra ad 1 anta da misure est.tel. 1230 x 1480. Norma UNI EN-ISO 10077/2  
Value measured on a window with single door, external frame measured 1230 x 1480. Law UNI EN-ISO 10077/2




NODO CENTRALE / CENTRAL KNOT




NODO LATERALE / SUPERIORE  
LATERAL / UPPER KNOT



NODO INFERIORE / LOWER KNOT



NODO INFERIORE RIDOTTO  
REDUCED LOWER KNOT





FAMM s.n.c. Infissi in legno  
Via Umberto I, 69 • 35046 Saletto (PD) Italy  
Tel. 0429 86077 • Fax 0429 86552  
[www.famminfissi.it](http://www.famminfissi.it) • [info@famminfissi.it](mailto:info@famminfissi.it)